

Addolorato, G.; Viaggi, M.; Gentilini, L.; Castelli, E.; Nicastro, P.; Stefanini, G.F.; Gasbarrini, G. Alcohol addiction: Evaluation of the therapeutic effectiveness of a self-managed self-help group in the maintenance of abstinence from alcohol. *Alcologia: European Journal of Alcohol Studies*, 5(3):261-263, 1993.

Auxier, J.W. Prelude to matching: Locus of control and belief in divine intervention among members of Alcoholics Anonymous and Rational Recovery. Dissertation Abstracts International, 55(7):2995B, 1995.

Barber, J.G.; Gilbertson, R. Evaluation of a self-help manual for the female partners of heavy drinkers. *Research on Social Work Practice*, 8(2):141-151, 1998.

Bazemore, G.; Cruise, P.L. Resident adaptations in an Alcoholics Anonymous-based residential program for the urban homeless. *Social Service Review*, 67(4):599-616, 1993.

Best, D.W.; Harris, J.C.; Gossop, M.; Manning, V.C.; Man, L.H.; Marshall, J.; Bearn, J.; Strang, J. Are the twelve steps more acceptable to drug users than to drinkers? A comparison of experiences of and attitudes to alcoholics anonymous (AA) and narcotics anonymous (NA) among 200 substance misusers attending inpatient detoxification. *European Addiction Research*, 7(2):69-77, 2001.

Bewley, A.R. Wellness beyond AA: Testing the theory of meta-recovery. *Alcoholism Treatment Quarterly*, 13(1):1-15, 1995.

Bishop, P.D.; Jason, L.A.; Ferrari, J.R.; Huang, C.F. Survival analysis of communal-living, self-help, addiction recovery participants. *American Journal of Community Psychology*, 26(6):803-821, 1998.

Bogenschutz, M. P. and S. J. Akin (2000). "12 Step participation and attitudes toward 12 step programs in dual diagnosis patients." *Alcoholism Treatment Quarterly* 18(4): 31-25.

Bond, J.; Kaskutas, L.A.; Weisner, C. Persistent influence of social networks and Alcoholics Anonymous on abstinence. *Journal of Studies on Alcohol*, 64(4):579-588, 2003.

Bond, G., E. McDonel, et al. (1991). "Assertive community treatment and reference groups: An evaluation of their effectiveness for young adults with serious mental illness and substance abuse problems." *Psychosocial Rehabilitation Journal* 15: 31-42.

Brooks, A. J. and P. E. Penn (2003). "Comparing treatments for dual diagnosis: twelve-step and self-management and recovery training." *American Journal of Drug and Alcohol Abuse* 29(2): 359-83.

Caldwell, P.E. Assessing the connection to Alcoholics Anonymous in early recovery: Recommendations for an "Affiliation Index" *Alcoholism Treatment Quarterly*, 17(4):1-14, 1999.

Caldwell, P.E.; Cutter, H.S.G. Alcoholics Anonymous affiliation during early recovery. *Journal of Substance Abuse Treatment*, 15(3):221-228, 1998.

Caldwell, P.E.; Cutter, H.S.G. Impact of work on early-recovery alcoholics anonymous affiliation. *Employee Assistance Quarterly*, 13(1):1-16, 1997.

Caldwell, P.E. Early post-treatment Alcoholics Anonymous affiliation. *Dissertation Abstracts International*, 56(7):3686-B-3687-B, 1996.

Cloud, R.N. Prediction of Alcoholics Anonymous affiliation from pretreatment factors: Methods and theory to inform provider referrals. *Dissertation Abstracts International*, 61(2):766 A, 2000.

Connors, G.J.; Tonigan, J.S.; Miller, W.R. Longitudinal model of intake symptomatology, AA participation and outcome: Retrospective study of the project MATCH outpatient and aftercare samples. *Journal of Studies on Alcohol*, 62(6):817-825, 2001.

Cooper, F.A. Alcoholics Anonymous: Spirituality and the collective conscious. *Dissertation Abstracts International*, 55(8):2588A, 1995.

Crothers, L.J. Affiliation to the twelve-step philosophy of alcoholics anonymous and its impact on substance abuse treatment. *Dissertation Abstracts International*, 61(12):6699-B, 2001.

Cunningham, J.A.; Breslin, F.C. Exploring patterns of remission from alcohol dependence with and without Alcoholics Anonymous in a population sample. *Contemporary Drug Problems*, 28(4):559-566, 2001.

Cunningham, J.A.; Sdao-Jarvie, K.; Koski-Jannes, A.; Breslin, F.C. Using self-help materials to motivate change at assessment for alcohol treatment. *Journal of Substance Abuse Treatment*, 20(4):301-304, 2001.

DiNitto, D.M.; Webb, D.K.; Rubin, A.; Morrison-Orton, D.; Wambach, K.G. Self-help group meeting attendance among clients with dual diagnoses. *Journal of Psychoactive Drugs*, 33(3):263-272, 2001.

Dunn, C.W. Intervention to improve performance in the 4th step of the 12-step recovery program of Alcoholics Anonymous. *Dissertation Abstracts International*, 55(7):2996B, 1995.

Durant, A.D. African American alcoholics: An exploration of factors affecting their affiliation with Alcoholics Anonymous. *Dissertation Abstracts International*, 54(10):3875-A, 1994.

Floyd, A.S.; Hoffmann, N.G.; Karno, M.P. Diagnosis, self-help, and maintenance care as key constructs in treatment research for "alcohol use disorders" (AUD) Substance Use and Misuse, 36(4):399-419, 2001.

Fortney, J.; Booth, B.; Zhang, M.; Humphrey, J.; Wiseman, E. Controlling for selection bias in the evaluation of Alcoholics Anonymous as aftercare treatment. Journal of Studies on Alcohol, 59(6):690-697, 1998.

Franskoviak, P.; Segal, S.P. Substance use and mental disorder diagnostic profiles in a sample of long-term self-help agency users. American Journal of Orthopsychiatry, 72(2):232-240, 2002.

Freeman, M.L. Attachment, social support, professional therapy and short-term abstinence in women of Alcoholics Anonymous. Dissertation Abstracts International, 62(12):5961B, 2002.

Gabhainn, S.N. Assessing sobriety and successful membership of Alcoholics Anonymous. Journal of Substance Use, 8(1):55-61, 2003.

Galanter, M.; Castaneda, R.; Franco, H. Group therapy, self-help groups, and network therapy. In: R.J. Frances and S.I. Miller, Eds., Clinical Textbook of Addictive Disorders: Second Edition, New York, NY: Guilford Press, 1998. 637 p. (pp. 521-546)

George, A.A.; Tucker, J.A. Help-seeking for alcohol-related problems: Social contexts surrounding entry into alcoholism treatment or Alcoholics Anonymous. Journal of Studies on Alcohol, 57(4):449-457, 1996.

Girard, M. Self-reported personality types of recovering women in Alcoholics Anonymous. Dissertation Abstracts International, 56(4):2370B, 1995.

Gossop, M.; Harris, J.; Best, D.; Man, L.H.; Manning, V.; Marshall, J.; Strang, J. Is attendance at Alcoholics Anonymous meetings after inpatient treatment related to improved outcomes?: A 6-month follow-up study. Alcohol and Alcoholism, 38(5):421-426, 2003.

Graham, J.A. Transcending an AA alcoholic identity: A phenomenological study. Dissertation Abstracts International, 56(2):1106-B-1107-B, 1995.

Hall, J.M. Lesbians' participation in Alcoholics Anonymous: Experiences of social, personal, and political tensions. Contemporary Drug Problems, 23(1):113-138, 1996.

Hall, J.M. Experiences of lesbians in Alcoholics Anonymous. Western Journal of Nursing Research, 16(5):556-576, 1994.

Harris, J.; Best, D.; Gossop, M.; Marshall, J.; Man, L.H.; Manning, V.; Strang, J. Prior Alcoholics Anonymous (AA) affiliation and the acceptability of the twelve steps to

patients entering UK statutory addiction treatment. *Journal of Studies on Alcohol*, 64(2):257-261, 2003.

Hasin, D.S.; Grant, B.F. AA and other helpseeking for alcohol problems: Former drinkers in the U.S. general population. *Journal of Substance Abuse*, 7(3):281-292, 1995.

Hollander, J.T.P. Exploratory study of women's interpretations of the Alcoholics Anonymous sponsor relationship and their relation to the recovery process. *Dissertation Abstracts International*, 58(8):4139-B, 1998.

Horstmann, M.J.; Tonigan, J.S. Faith development in alcoholics anonymous (AA): A study of two AA groups. *Alcoholism Treatment Quarterly*, 18(4):75-84, 2000.

Hough, P.T. Investigation of critical self-reflective learning among members of Alcoholics Anonymous. *Dissertation Abstracts International*, 56(7):2529-A, 1996.

Humphreys, K.; Kaskutas, L.A.; Weisner, C. Relationship of pre-treatment Alcoholics Anonymous affiliation with problem severity, social resources and treatment history. *Drug and Alcohol Dependence*, 49(2):123-131, 1998.

Humphreys, K.; Kaskutas, L.A.; Weisner, C. Alcoholics Anonymous affiliation scale: Development, reliability, and norms for diverse treated and untreated populations. *Alcoholism: Clinical and Experimental Research*, 22(5):974-978, 1998.

Humphreys, K., & Noke, J. M. (1997). The influence of posttreatment mutual help group participation on the friendship networks of substance abuse patients. *American Journal of Community Psychology*, 25, 1-17.

Humphreys, K.; Moos, R.H.; Finney, J.W. Life domains, Alcoholics Anonymous, and role incumbency in the 3-year course of problem drinking. *Journal of Nervous and Mental Disease*, 184(8):475-481, 1996.

Humphreys, K.; Moos, R. Can encouraging substance abuse patients to participate in self-help groups reduce demand for health care? A quasi-experimental study. *Alcoholism: Clinical and Experimental Research*, 25(5):711-716, 2001.

Humphreys, K.; Klaw, E. Can targeting nondependent problem drinkers and providing Internet-based services expand access to assistance for alcohol problems? A study of the Moderation Management Self-Help/Mutual Aid Organization. *Journal of Studies on Alcohol*, 62(4):528-532, 2001.

Humphreys, K. (2000). Community narratives and personal stories in Alcoholics Anonymous. *Journal of Community Psychology*, 28, 495-506.

Humphreys, K.; Huebsch, P.D.; Finney, J.W.; Moos, R.H. Comparative evaluation of substance abuse treatment: V. Substance abuse treatment can enhance the effectiveness of

self-help groups. *Alcoholism: Clinical and Experimental Research*, 23(3):558-563, 1999.

Humphreys, K.; Mankowski, E.S.; Moos, R.H.; Finney, J.W. Do enhanced friendship networks and active coping mediate the effect of self help groups on substance abuse. *Annals of Behavioral Medicine*, 21(1): 54-60, 1999.

Humphreys, K.. Clinicians' referral and matching of substance abuse patients to self-help groups after treatment. *Psychiatric Services*, 48(11):1445-1449, 1997.

Humphreys, K. (1996). World view change in Adult Children of Alcoholics/Al-Anon self-help groups: Reconstructing the alcoholic family. *International Journal of Group Psychotherapy*, 46, 255-263.

Humphreys, K., & Moos, R. (1996). Reduced substance abuse-related health care costs among voluntary participants in Alcoholics Anonymous. *Psychiatric Services*, 47, 709-713.

Humphreys, K., Phibbs, C. S., & Moos, R. H. (1996). Addressing self-selection effects in evaluations of mutual help groups and professional mental health services: An introduction to two-stage sample selection models. *Evaluation and Program Planning*, 19, 301-308.

Humphreys, K., Moos, R. H., & Finney, J. W. (1995). Two pathways out of drinking problems without professional treatment. *Addictive Behaviors*, 20, 427-441.

Humphreys, K., Mavis, B. E., Stöffelmayr, B. E. (1994). Are twelve step programs appropriate for disenfranchised groups?: Evidence from a study of posttreatment mutual help group involvement. *Prevention in Human Services*, 11, 165-180.

Humphreys, K., & Woods, M. (1993). Researching mutual help group affiliation in a segregated society. *Journal of Applied Behavioral Science*, 29, 181-201. (Reprinted (1994). In T. J. Powell (Ed.), *Understanding the self-help organization: Frameworks and Findings* (pp.62-87). Newbury Park, CA: Sage.)

Humphreys, K., Mavis, B. E., & Stöffelmayr, B. E. (1991). Factors predicting attendance at self-help groups after substance abuse treatment: Preliminary findings. *Journal of Consulting and Clinical Psychology*, 59, 591-593.

Janowsky, D.S.; Boone, A.; Morter, S.; Howe, L. Personality and alcohol/substance-use disorder patient relapse and attendance at self-help group meetings. *Alcohol and Alcoholism*, 34(3):359-369, 1999.

Jason, L.A.; Ferrari, J.R.; Dvorchak, P.A.; Groessl, E.J.; Molloy, J.P. Characteristics of alcoholics in self-help residential treatment settings: A multi-site study of Oxford House. *Alcoholism Treatment Quarterly*, 15(1):53-63, 1997.

Jason, L.A.; Ferrari, J.R.; Smith, B.; Marsh, P.; Dvorchak, P.A.; Groessler, E.J.; Pechota, M.E.; Curtin, M.; Bishop, P.D.; Kot, E.; Bowden, B.S. Explanatory study of male recovering substance abusers living in a self-help, self-governed setting. *Journal of Mental Health Administration*, 24(3):332-339, 1997.

Jordan, L. C., W. S. Davidson, et al. (2002). "Involvement in 12-step programs among persons with dual diagnoses." *Psychiatric Services* 53(7): 894-6.

Jordan, L.C. Effects of psychiatric symptomatology on involvement and benefit from self-help in a dually diagnosed sample. *Dissertation Abstracts International*, 58(9):5123-B, 1998.

Junior, V.Y. Self-esteem, self-efficacy, and purpose and meaning in life among recovering alcoholics in Alcoholics Anonymous. *Dissertation Abstracts International*, 60(6):1921-A, 1999.

Kairouz, S.; Dibe, L. Abstinence and well-being among members of Alcoholics Anonymous: Personal experience and social perceptions. *Journal of Social Psychology*, 140(5):565-579, 2000.

Kaskutas, L.A.; Bond, J.; Humphreys, K. Social networks as mediators of the effect of Alcoholics Anonymous. *Addiction*, 97(7):891-900, 2002.

Kaskutas, L.A.; Weisner, C.; Lee, M.; Humphreys, K. Alcoholics Anonymous affiliation at treatment intake among white and black Americans. *Journal of Studies on Alcohol*, 60(6):810-816, 1999.

Kaskutas, L.A. What do women get out of self-help? Their reasons for attending Women for Sobriety and Alcoholics Anonymous. *Journal of Substance Abuse Treatment*, 11(3):185-195, 1994.

Kelly, J.F. Humphreys, K.N., & Youngson, H. (2004) *Mutual Aid Groups: In Alcohol and Drug Problems: A Practical Guide for Counsellors* (3rd Edition). Toronto: Centre for Addiction and Mental Health.

Kelly, J.F.; Moos, R. Dropout from 12-step self-help groups: Prevalence, predictors, and counteracting treatment influences. *Journal of Substance Abuse Treatment*, 24(3):241-250, 2003.

Kelly, J.F., McKellar, J.D. & Moos, R. H. (2003) Comorbid Major Depression in Patients with Substance Use Disorders: Effects on 12-Step Self-help Participation and Substance use outcomes. *Addiction*, 98, 499-508.

Kelly, J.F., Myers, M.G., & Brown, S.A. (in press). The Effects of Age Composition of 12-Step Groups on Adolescent 12-Step Participation and Substance use outcome. *Journal of Child & Adolescent Substance Abuse*.

Kelly, J.F., Myers, M.G., & Brown, S.A. (2002). Do Adolescents Affiliate with 12-Step Groups? A Multivariate Process Model of Effects. Journal of Studies on Alcohol, *63*, 3, 293-304.

Kelly, J.F., Myers, M.G., & Brown, S.A. (2000). A Multivariate Process Model of Adolescent 12-step Attendance and Substance Use Outcome Following Inpatient Treatment Psychology of Addictive Behaviors , *14*, 4, 376–389

Kingree, J.B.; Sullivan, B.F. Participation in Alcoholics Anonymous among African-Americans. Alcoholism Treatment Quarterly, *20*(3-4):175-186, 2002.

Kissin, W.; McLeod, C.; McKay, J. Longitudinal relationship between self-help group attendance and course of recovery. Evaluation and Program Planning, *26*(3):311-323, 2003.

Kissin, W.; Ginexi, E.M. Impact of self-help involvement on recovery course. Drug and Alcohol Dependence, *63*(suppl.1):s82, 2001.

Kitchin, H.A. Alcoholics Anonymous discourse and members' resistance in a virtual community: Exploring tensions between theory and practice. Contemporary Drug Problems, *29*(4):749-778, 2002.

Klaw, E., Luft, S., & Humphreys, K. (2003). Characteristics and motives of problem drinkers seeking help from Moderation Management self-help groups. Cognitive and Behavioral Practice, *10*.

Klaw, E., Huebsch, P. D., & Humphreys, K. (2000). Communication patterns in an on-line mutual help group for problem drinkers. Journal of Community Psychology, *28*, 535-546.

Klaw, E. & Humphreys, K. (2000). Life stories of Moderation Management mutual help group members. Contemporary Drug Problems, *27*, 779-803.

Koch, G.R. Spirituality and Alcoholics Anonymous: Implications for counselors. Dissertation Abstracts International, *58*(9):5193-B, 1998.

Koski-Jannes, A.; Cunningham, J. Interest in different forms of self-help in a general population sample of drinkers. Addictive Behaviors, *26*(1):91-100, 2001.

Kownacki, R.J.; Shadish, W.R. Does Alcoholics Anonymous work? The results from a meta-analysis of controlled experiments. Substance Use and Misuse, *34*(13):1897-1916, 1999.

Kubicek, K.R.; Morgan, O.J.; Morrison, N.C. Pathways to long-term recovery from alcohol dependence: Comparison of spontaneous remitters and AA members. *Alcoholism Treatment Quarterly*, 20(2):71-81, 2002.

Kurtz, L.F.; Garvin, C.D.; Hill, E.M.; Pollio, D.; McPherson, S.; Powell, T.J. Involvement in Alcoholics Anonymous by persons with dual diagnosis. *Alcoholism Treatment Quarterly*, 12(4):1-18, 1995.

Kyrouz, E. M., & Humphreys, K. (1996). Do psychiatrically disabled people benefit from participation in self-help/mutual aid organizations?: A research review. *Community Psychologist*, 29, 21-25.

Laudet, A. B., S. Magura, et al. (2003). "Predictors of retention in dual-focus self-help groups." *Community Mental Health Journal* 39(4): 281-97.

Laudet, A. B., S. Magura, et al. (2000). "Recovery challenges among dually diagnosed individuals." *Journal of Substance Abuse Treatment* 18(4): 321-329.

Laudet, A. B., S. Magura, et al. (2000). "Support, mutual aid and recovery from dual diagnosis." *Community Mental Health Journal* 36(5): 457-76.

Laudet, A. B., S. Magura, et al. (2003). "Participation in 12-step-based fellowships among dually diagnosed persons." *Alcoholism Treatment Quarterly* 21(2): 19-39.

Leech, T.B. Typology of the sponsor relationship in Alcoholics Anonymous and other 12-step programs. *Dissertation Abstracts International*, 54(3):1094-A, 1993.

Leslie, J.D. Organizational learning in Alcoholics Anonymous: An egalitarian non-profit organization. *Dissertation Abstracts International*, 61(5):1792 A, 2000.

Li, E.; Strohm, M.; Feifer, C. Cross-sectional comparison of locus of control in Alcoholics Anonymous and Smart Recovery treatment groups. *Journal of Addictive Diseases*, 17(2):153, 1998.

Lindeman, R.S. Efficacy of the twelve steps of Alcoholics Anonymous in the treatment of alcoholism. *Journal of Psychoactive Drugs*, 25(4):337-340, 1993.

Longabaugh, R.; Wirtz, P.W.; Zweben, A.; Stout, R.L. Network support for drinking, Alcoholics Anonymous and long-term matching effects. *Addiction*, 93(9):1313-1333, 1998.

Magura, S.; Knight, E.L.; Vogel, H.S.; Mahmood, D.; Laudet, A.B.; Rosenblum, A. Mediators of effectiveness in dual-focus self-help groups. *American Journal of Drug and Alcohol Abuse*, 29(2):301-322, 2003.

Mankowski, E.S.; Humphreys, K.; Moos, R.H. Individual and contextual predictors of involvement in twelve-step self-help groups after substance abuse treatment. *American Journal of Community Psychology*, 29(4):537-563, 2001.

Mavis, B. E., Humphreys, K., & Stöffelmayr, B. E. (1990). Who participates in post treatment self-help groups? *Alcohol and Addiction Dispatch*, 2, 8-15.

McAuliffe, J.D., Jr Inordinate mood-altering behavior as symptomatic of spiritual disorder: The twelve steps of Alcoholics Anonymous in light of the establishment of formative spirituality. *Dissertation Abstracts International*, 56(12):7050B, 1996.

McCrary, B.S.; Epstein, E.E.; Hirsch, L.S. Issues in the implementation of a randomized clinical trial that includes Alcoholics Anonymous: Studying AA-related behaviors during treatment. *Journal of Studies on Alcohol*, 57(6):604-612, 1996.

McKay, J.R.; McLellan, A.T.; Alterman, A.I.; Cacciola, J.S.; Rutherford, M.J.; O'Brien, C.P. Predictors of participation in aftercare sessions and self-help groups following completion of intensive outpatient treatment for substance abuse. *Journal of Studies on Alcohol*, 59(2):152-162, 1998.

McKellar, J.; Stewart, E.; Humphreys, K. Alcoholics Anonymous involvement and positive alcohol-related outcomes: Cause, consequence, or just a correlate? A prospective 2-year study of 2,319 alcohol-dependent men. *Journal of Consulting and Clinical Psychology*, 71(2):302-308, 2003.

Meissen, G.; Powell, T.J.; Wituk, S.A.; Girrens, K.; Arteaga, S. Attitudes of AA contact persons toward group participation by persons with a mental illness. *Psychiatric Services*, 50(8):1079-1081, 1999.

Miller, G.A. Relationships between perceived adult attachment styles and alcohol use, psychological functioning, and life satisfaction in members of Alcoholics Anonymous. *Dissertation Abstracts International*, 56(12):7080B, 1996.

Moggi, F., P. C. Ouimette, et al. (1999). "Dual diagnosis patients in substance abuse treatment: relationship of general coping and substance-specific coping to 1-year outcomes." *Addiction* 94(12): 1805-16.

Montgomery, H.A.; Miller, W.R.; Tonigan, J.S. Does Alcoholics Anonymous involvement predict treatment outcome? *Journal of Substance Abuse Treatment*, 12(4):241-246, 1995.

Morgenstern, J.; Labouvie, E.; McCrary, B.S.; Kahler, C.W.; Frey, R.M. Affiliation with Alcoholics Anonymous after treatment: A study of its therapeutic effects and mechanisms of action. *Journal of Consulting and Clinical Psychology*, 65(5):768-777, 1997.

Morjaria, A.; Orford, J. Role of religion and spirituality in recovery from drink problems: A qualitative study of alcoholics anonymous members and South Asian men. *Addiction Research and Theory*, 10(3):225-256, 2002.

Moss, R. Relationship between attendance in Alcoholics Anonymous and the self-report of alcohol-related symptoms among patients at an alcohol rehabilitation center. *Dissertation Abstracts International*, 55(9):2991A, 1995.

Murray, T.S.; Malcarne, V.L.; Goggin, K. Alcohol-related God/Higher Power control beliefs, locus of control, and recovery within the Alcoholics Anonymous paradigm. *Alcoholism Treatment Quarterly*, 21(3):23-39, 2003.

Oakes, K.E. Spirituality, problem-solving and sobriety in Alcoholics Anonymous. *Dissertation Abstracts International*, 61(3):1367 B, 2000.

Ouimette, P., C. Ahrens, et al. (1998). "During treatment changes in substance abuse patients with posttraumatic stress disorder: the influence of specific interventions and program environment." *Journal of Substance Abuse Treatment* **15**: 555-564.

Ouimette, P., K. Humphreys, et al. (2001). "Self-help group participation among substance use disorder patients with posttraumatic stress disorder." *Journal of Substance Abuse Treatment* **20**(1): 25-32.

Ouimette, P., R. Moos, et al. (1998). "Influence of outpatient treatment and 12-step group involvement on one-year substance abuse treatment outcomes." *Journal of Studies on Alcohol* **59**: 513-522.

Owen P., Slaymaker, V., Tonigan, J. S., McCrady, B. S., & Epstein, E. E., Kaskutas, L. A., Humphreys, K., & Miller, W. R. (2003). Participation in Alcoholics Anonymous: Intended and unintended change mechanisms. *Alcoholism: Clinical and Experimental Research*, 27, 524-532.

Pisani, V.D.; Fawcett, J.; Clark, D.C.; McGuire, M. Relative contributions of medication adherence and AA meeting attendance to abstinent outcome for chronic alcoholics. *Journal of Studies on Alcohol*, 54(1):115-119, 1993.

Platz, W.E.; Oberlaender, F.A. Patients with alcohol disorders and their tendency to join abstinence self-help groups. *International Journal of Law and Psychiatry*, 23(6):627-635, 2001.

Pristach, C.A.; Smith, C.M. Attitudes towards Alcoholics Anonymous by dually diagnosed psychiatric inpatients. *Journal of Addictive Diseases*, 18(3):69-76, 1999.

Radasch, P.D. Relational dynamics of sponsorship in Alcoholics Anonymous: A self-psychological perspective. *Dissertation Abstracts International*, 59(10):5585-B, 1999.

Reigle, N.E. Predicting Alcoholics Anonymous affiliation using measures of personality factors and coping processes. *Dissertation Abstracts International*, 57(10):4275-A, 1997.

Reinert, D.F.; Allen, J.P.; Fenzel, L.M.; Estadt, B.K. Alcohol recovery in self-help groups: Surrender and narcissism. *Journal of Religion and Health*, 32(4):299-208, 1993.

Reynolds, K.D.; Coombs, D.W.; Lowe, J.B.; Peterson, P.L.; Gayoso, E. Evaluation of a self-help program to reduce alcohol consumption among pregnant women. *International Journal of the Addictions*, 30(4):427-443, 1995.

Ritsher, J. B., J. D. McKellar, et al. (2002). "Psychiatric comorbidity, continuing care and mutual help as predictors of five-year remission from substance use disorders." *Journal of Studies on Alcohol* 63(6): 709-15.

Roland, E.J.; Kaskutas, L.A. Alcoholics anonymous and church involvement as predictors of sobriety among three ethnic treatment populations. *Alcoholism Treatment Quarterly*, 20(1):61-77, 2002.

Ronel, N., & Humphreys, K. (1999). World view transformations of Narcotics Anonymous members in Israel. *International Journal of Self-Help and Self-Care*, 1, 107-122.

Room, R.; Greenfield, T. Alcoholics Anonymous, other 12-step movements and psychotherapy in the US population, 1990. *Addiction*, 88(4):555-562, 1993.

Rush, M.M. Perceived social support: Dimensions of social interaction among sober female participants in Alcoholics Anonymous. *Journal of the American Psychiatric Nurses Association*, 8(4):114-119, 2002.

Rush, M.M. Study of the relations among perceived social support, spirituality, and power as knowing participation in change among sober female alcoholics in Alcoholics Anonymous within the science of unitary human beings. *Dissertation Abstracts International*, 57(8):4979-B, 1997.

Rychtarik, R.G.; Connors, G.J.; Dermen, K.H.; Stasiewicz, P.R. Alcoholics Anonymous and the use of medications to prevent relapse: An anonymous survey of member attitudes. *Journal of Studies on Alcohol*, 61(1):134-138, 2000.

Sandoz, C.J. Exploring the spiritual experience of the Twelve Steps of Alcoholics Anonymous. *Journal of Ministry in Addiction and Recovery*, 6(1):99-107, 1999.

Sandoz, C.J. Effect of spiritual experience on the AA promises, locus of control and family dynamics in recovery within Alcoholics Anonymous. *Journal of Ministry in Addiction & Recovery*, 3(2):79-90, 1996.

Sarowitz, M. Social interest in alcoholics who are members of Alcoholics Anonymous. *Dissertation Abstracts International*, 54(1):478-B, 1993.

Schilling, R.F.; El-Bassel, N.; Finch, J.B.; Roman, R.J.; Hanson, M. Motivational interviewing to encourage self-help participation following alcohol detoxification. *Research on Social Work Practice*, 12(6):711-730, 2002.

Slater, L.J. AA members' subjective interpretations of disease and powerlessness. *Dissertation Abstracts International*, 56(2):1094-B, 1995.

Sloan, H.P. III God imagery and emergent spirituality in early recovery from chemical dependency: Ana-Maria Rizzuto and the Alcoholics Anonymous Twelve Steps. *Dissertation Abstracts International*, 60(6):2085-A, 1999.

Smart, R.G.; Mann, R.E.; Suurvali, H. Changes in liver cirrhosis death rates in different countries in relation to per capita alcohol consumption and Alcoholics Anonymous membership. *Journal of Studies on Alcohol*, 59(3):245-249, 1998.

Smart, R.G.; Mann, R.E. Treatment, Alcoholics Anonymous and alcohol controls during the decrease in alcohol problems in Alberta: 1975-1993. *Alcohol and Alcoholism*, 33(3):265-272, 1998.

Smart, R.G.; Mann, R.E. Recent liver cirrhosis declines: Estimates of the impact of alcohol abuse treatment and Alcoholics Anonymous. *Addiction*, 88(2):193-198, 1993.

Smith, A.R. Social construction of group dependency in Alcoholics Anonymous. *Journal of Drug Issues*, 23(4):689-704, 1993.

Sommer, S.M. Experience of long-term recovering alcoholics in Alcoholics Anonymous: Perspectives on therapy. *Alcoholism Treatment Quarterly*, 15(1):75-80, 1997.

Sommer, S.M. A way of life: Long-term recovery in Alcoholics Anonymous. *Dissertation Abstracts International*, 53(7):3795-B, 1993.

Spalding, A.D.; Metz, G.J. Spirituality and quality of life in Alcoholics Anonymous. *Alcoholism Treatment Quarterly*, 15(1):1-14, 1997.

Speiglmán, R. Mandated AA attendance for recidivist drinking drivers: Ideology, organization, and California criminal justice practices. *Addiction*, 89(7):869-874, 1994.

Steigerwald, F.; Stone, D. Cognitive restructuring and the 12-Step program of Alcoholics Anonymous. *Journal of Substance Abuse Treatment*, 16(4):321-327, 1999.

Swindle, R. W., C. S. Phibbs, et al. (1995). "Inpatient treatment for substance abuse patients with psychiatric disorders: a national study of determinants of readmission." *Journal of Substance Abuse* 7(1): 79-97.

Swora, M.G. Rhetoric and remembering in Alcoholics Anonymous. Dissertation Abstracts International, 58(1):205-A-206-A, 1997.

Thomassen, L. AA utilization after introduction in outpatient treatment. Substance Use and misuse, 37(2):239-253, 2002.

Thomassen, L. Alcoholic is good and sober: Sentiment change in AA. Deviant Behavior, 23(2):177-199, 2002.

Timko, C.; Moos, R.H.; Finney, J.W.; Lesar, M.D. Long-term outcomes of alcohol use disorders: Comparing untreated individuals with those in alcoholics anonymous formal treatment. Journal of Studies on Alcohol, 61(4):529-540, 2000.

Timko, C.; Moos, R.H.; Finney, J.W.; Moos, B.S. Outcome of treatment for alcohol abuse and involvement in Alcoholics Anonymous among previously untreated problem drinkers. Journal of Mental Health Administration, 21(2):145-160, 1994.

Tomasson, K. and P. Vaglum (1998). "Psychiatric comorbidity and aftercare among alcoholics: a prospective study of a nationwide representative sample." Addiction **93**: 423-431.

Tonigan, J.S.; Connors, G.J.; Miller, W.R. Participation and involvement in Alcoholics Anonymous. In: T.F. Babor and F.K. Del Boca, Treatment Matching in Alcoholism, Cambridge, UK: Cambridge University Press, 2003. 275 p. (pp. 184-204)

Tonigan, J.S.; Miller, W.R.; Schermer, C. Atheists, agnostics and Alcoholics Anonymous. Journal of Studies on Alcohol, 63(5):534-541, 2002.

Tonigan, J.S. Benefits of alcoholics anonymous attendance: Replication of findings between clinical research sites in Project MATCH. Alcoholism Treatment Quarterly, 19(1):67-78, 2001.

Tonigan, J.S.; Miller, W.R.; Connors, G.J. Prior Alcoholics Anonymous involvement and treatment outcome. In R. Longabaugh and P.W. Wirtz, Eds., Project MATCH Hypotheses: Results and Causal Chain Analysis, Bethesda, MD:NIAAA, 2001. 330p. (pp. 276-284)

Tonigan, J.S.; Miller, W.R.; Connors, G.J. Project MATCH client impressions about Alcoholics Anonymous: Measurement issues and relationship to treatment outcome. Alcoholism Treatment Quarterly, 18(1):25-41, 2000.

Tonigan, J.S.; Connors, G.J.; Miller, W.R. Special populations in Alcoholics Anonymous. Alcohol Health and Research World, 22(4):281-285, 1999.

Tonigan, J.S.; Toscova, R.; Miller, W.R. Meta-analysis of the literature on Alcoholics Anonymous: Sample and study characteristics moderate findings. *Journal of Studies on Alcohol*, 57(1):65-72, 1996.

Tonigan, J.S.; Connors, G.J.; Miller, W.R. Alcoholics Anonymous Involvement (AAI) scale: Reliability and norms. *Psychology of Addictive Behaviors*, 10(2):75-80, 1996.

Tonigan, J.S.; Hiller-Sturmhofel, S. Alcoholics Anonymous: Who benefits? *Alcohol Health and Research World*, 18(4):308-310, 1994.

Tonigan, J.S.; Miller, W.R.; Juarez, P.; Villanueva, M. Utilization of AA by Hispanic and non-Hispanic white clients receiving outpatient alcohol treatment. *Journal of Studies on Alcohol*, 63(2):215-218, 2002.

Tonigan, J.S.; Ashcroft, F.; Miller, W.R. AA group dynamics and 12-step activity. *Journal of Studies on Alcohol*, 56(6):616-621, 1995.

Tucker, J.A.; Gladsojo, J.A. Help-seeking and recovery by problem drinkers: Characteristics of drinkers who attended Alcoholics Anonymous or formal treatment or who recovered without assistance. *Addictive Behaviors*, 18(5):529-542, 1993.

Wallace, G.L. Role of women in Alcoholics Anonymous: Is it reflective of the role of women in society? *Dissertation Abstracts International*, 59(7):2754-A, 1999.

Watson, C.G.; Hancock, M.; Gearhart, L.P.; Mendez, C.M.; Malovrh, P.; Raden, M. Comparative outcome study of frequent, moderate, occasional, and nonattenders of Alcoholics Anonymous. *Journal of Clinical Psychology*, 53(3):209-214, 1997.

Weiss RD, Griffin ML, Najavits LM, Hufford C, Kogan J, Thompson HJ, Albeck JH, Bishop S, Daley DC, Mercer D, Siqueland L. Self-help activities in cocaine dependent patients entering treatment: Results from the NIDA Collaborative Cocaine Treatment Study. *Drug Alcohol Depend* 1996; 43:79-86.

Weiss RD, Griffin ML, Gallop R, Onken LS, Gastfriend DR, Daley D, Crits-Christoph P, Bishop S, Barber JP. Self-help group attendance and participation among cocaine dependent patients. *Drug Alcohol Depend* 2000; 60:169-177.

Weiss RD, Griffin ML, Gallop R, Luborsky L, Siqueland L, Frank A, Onken LS, Daley DC, Gastfriend DR. Predictors of self-help group attendance in cocaine dependent patients. *J Stud Alcohol* 2000; 61:714-719.

Westermeyer, J.; Myott, S.; Aarts, R.; Thuras, P. Self-help strategies among patients with substance use disorders. *American Journal on Addictions*, 10(3):249-257, 2001.

Wheeler, S.; Turner, L. Counselling problem drinkers: The realm of specialists, Alcoholics Anonymous or generic counsellors? *British Journal of Guidance & Counselling*, 25(3):313-326, 1997.

Wignall, M.E. Evaluative study of the use of the 12 step recovery program in Alcoholics Anonymous: An introspection into behavior exhibited by members of Alcoholics Anonymous with over one year of abstinence following a 28-day treatment program. *Dissertation Abstracts International*, 57(4):2891-B-2892-B, 1996.

Wilcox, D.M. Alcoholic thinking: An ethnographic narrative of the changing world view among recovering urban alcoholics in Alcoholics Anonymous. *Dissertation Abstracts International*, 55(6):1616A, 1994.

Winzelberg, A.; Humphreys, K. Should patients' religiosity influence clinicians' referral to 12-step self-help groups? Evidence from a study of 3,018 male substance abuse patients. *Journal of Consulting and Clinical Psychology*, 67(5):790-794, 1999.

Zaluska, M.; Bronowski, P.; Bialyszewski, A.; Traczewska, Z. Factors involved in fostering participation in AA meetings by psychiatric ward patients. *Alcoholism: Journal on Alcoholism and Related Addictions*, 30(1/2):23-28, 1994.